

Yale-Brown Obsessive-Compulsive Scale과 Yale-Brown Obsessive-Compulsive Scale Checklist의 차원적 분석

김세주¹ · 최낙경¹ · 홍현주¹ · 황용식¹ · 김영기² · 이홍식^{2,3} · 김찬형^{2,3}

한림대학교 의과대학 정신과학교실,¹ 연세대학교 의과대학 정신과학교실,² 의학행동과학연구소³

ABSTRACT

Dimensional Analyses of the Yale-Brown Obsessive-Compulsive Scale and Yale-Brown Obsessive-Compulsive Scale Checklist

Se Joo Kim, MD,¹ Nak Kyung Choi, MD,¹ Hyun Joo Hong, MD,¹ Yong Sik Hwang, MD,¹
Young Kee Kim, MD,² Hong Shick Lee, MD^{2,3} and Chan-Hyung Kim, MD^{2,3}

¹Department of Psychiatry, Hallym University, College of Medicine, Chuncheon,

²Department of Psychiatry, Yonsei University, College of Medicine, Seoul,

³Institute of Behavioral Science in Medicine, Yonsei University, College of Medicine, Seoul, Korea

Objective : Although obsessive-compulsive disorder (OCD) has long been a unitary diagnosis, there is much recent interest in its potential heterogeneity, as manifested by symptom subgroups. Although the Yale-Brown Obsessive-Compulsive Scale (Y-BOCS) is a widely used instrument to assess obsessive-compulsive symptomatology, the variables reflecting the pathogenesis of OCD and Y-BOCS subscores usually were not significantly associated. The aims of this study are to clarify identification of dimensional structure of the symptoms from Y-BOCS checklist and to explore the factor structure of the Y-BOCS. **Methods :** Ninety five OCD patients participated in this study and performed the Y-BOCS and Y-BOCS checklist. The 13 main symptom categories from Y-BOCS checklist and 10 items from Y-BOCS were factor analyzed by using principal components analysis, respectively. **Results :** Using principal component analysis, we derived 4 factors from 13 main contents of Y-BOCS checklist. Four factors-hoarding/repeating, contamination/cleaning, aggressive/sexual, and religious/somatic-accounted for more than 60% of the variance. And we derived 3 factors from 10 items of Y-BOCS and these 3 factors-severity of obsession, severity of compulsion, and resistance to symptoms-accounted for more than 70% of variance. **Conclusions :** The four symptom dimensions from Y-BOCS checklist and three symptom dimensions from Y-BOCS were identified as significant factors accounting for the variance. These factors may be of value in future genetic, neurobiological, and treatment response studies. (Korean J Psychopharmacol 2004;15(3):339-345)

KEY WORDS : Dimensional analyses · Yale-Brown Obsessive-Compulsive Scale · OCD.

서 론

(constellation),
(unitary disorder) .¹⁾

교신저자 : , 135 - 720

146 - 92

: (02) 3497 - 3340 ·

: (02) 3462 - 4304

E - mail : spr88@yumc.yonsei.ac.kr

가 (intrusive thoughts), (preoccupations), (rituals),
 가²⁾ (homogeneous)
 가 (subtype)
 가³⁾ ()⁵⁾
 가⁴⁾ (phenomenological) (thematic) (consistencies) 가
 가⁶⁾ (manifest symptoms)
 가 (biological marker), (genetic transmission) 가
 가 Erzegovesi⁷⁾ 가 Mataix - Cols⁸⁾ (hoarding) 가
 (specific obsessive - compulsive contents)
 가 가⁹⁾ Yale - Brown Obsessive - Compulsive Scale(Y - BOCS) checklist 가

Y - BOCS checklist Maudsley Obsessive Compulsive Inventory (selection bias)
 Y - BOCS 가 50¹³⁾
 Y - BOCS checklist 가
 가 (standard)
 Y - BOCS 가
 Y - BOCS가 (validity) Goodman (subscale composition) - (1~5) (6~ 10) -¹⁴⁾
 Y - BOCS 가
^{15,16)} 4 9
¹⁴⁾ Y - BOCS (factorial structure) 가
 가
 가 가
 Y - BOCS checklist Y - BOCS 가 가

대상 및 방법

1. 대 상

95
 SC-
 ID(Structured Clinical Interview for Diagnosis)¹⁷⁾
 95 43
 38

, 57
6

2. 임상 양상의 평가

1) Yale-Brown Obsessive-Compulsive Scale (Y-BOCS)

10 1~5
6~10
가 가 가
가
0 () 4 ()¹⁸⁾

2) Y-BOCS checklist

8 (aggressive), (contamination),
(sexual), (hoarding), (religious),
(symmetry), (somatic) - 7
(cleaning), (checking), (repeating),
(counting), (ordering), -
60
checklist Leckman¹²⁾¹³⁾ Y-BOCS
(principal) (major)
1 0
2
3. 통계분석
Y-BOCS checklist
(miscellaneous)
13

(principal component analysis) . Y-
BOCS 10
(eigenvalue)
1 (Kaiser's criterion)
Varimax

결 과

1. 강박장애 환자들의 사회인구학적, 임상적 변인들
95
가 65 (68.4%), 가 30 (31.6%)
29.46 ± 9.25 , 19.93 ± 8.61
, 9.92 ± 8.45 , Y-BOCS
27.32 ± 5.63 ..

2. Y-BOCS checklist 요인분석
Y-BOCS checklist 4
(factor solution) Key ±
ser - Meyer - Olkin measure of sampling adequacy
0.78
¹⁹⁾ Varimax
(rotation) (factor load-
ings)가 0.5
4가 / ,
/ , /
/ , /
(variance)
33.99% /
11.12%
9.96%
7.70%
47가 62.77%
(1).

3. Y-BOCS 요인분석

Y - BOCS 1~3 5가 13.25%

3 Key- 6~8

ser - Meyer - Olkin measure of sampling adequacy 10 52.02%

0.84 3가 4 9가

(severity of obsession), 10.02%

(severity of compulsion), 3가 75.29%

(resistance to symp- (2).

Table 1. Four factors solution for Y-BOCS checklist

	Factor 1 (hoarding/repeating)	Factor 2 (contamination/cleaning)	Factor 3 (aggressive/sexual)	Factor 4 (religious/somatic)
Obsessions				
Aggressive			0.72	
Contamination		0.71		
Sexual			0.84	
Hoarding	0.55			
Religious				0.77
Symmetry				
Somatic				0.83
Compulsions				
Cleaning		0.81		
Checking				
Repeating	0.76			
Counting	0.83			
Ordering	0.54			
Hoarding	0.62			
% Of explained variance	34.00	11.12	9.96	7.70

Factor loadings >0.5. Principal components analysis

Table 2. Three factors solution for Y-BOCS

	Factor 1 (severity of obsessions)	Factor 2 (severity of compulsions)	Factor 3 (resistance to symptoms)
1. Time on obsessions		0.81	
2. Interference from obsessions		0.74	
3. Distress from obsessions		0.84	
4. Resistance to obsessions			0.90
5. Control over obsessions		0.72	
6. Time on compulsions	0.75		
7. Interference from obsessions	0.79		
8. Distress from obsessions	0.73		
9. Resistance to obsessions			0.76
10. Control over obsessions	0.91		
% of explained variance	52.02	13.25	10.02

Factor loadings >0.5. Principal components analysis

고찰

가,^{8,11)} Janet

가¹⁰⁾ (psychasthenia)

Y - BOCS checklist

가²⁰⁾

4가

(potential multidimensional structure)

^{8,10)} , Mataix - Cols 117

2

Baer Y - BOCS checklist

¹⁰⁾

²¹⁾ (multidimensional view)

Baer / Janet²⁰⁾ Ja-

(dimensional)

¹⁰⁾ Baer ¹⁰⁾ Leckman ¹²⁾ 가

가

(trichotillomania)

(feeling of incompleteness)

Baer

가

Y - BOCS

Y - BOCS Fals - Stewart²²⁾ Y - BOCS 16

가

Y - BOCS 가

6

(pair) , McKay 2

^{8 - 12)} /

Amir Y - BOCS가 (disturbance) (2, 3, 7, 8) (1, 4, 5, 6, 9, 10)

²⁴⁾ Kim ²⁵⁾

(pure obsession)

가 3가

Leckman ¹²⁾ Cavallini ⁹⁾ 가

가 5 10(/)

(joint function)

Moritz¹⁴⁾ (neural elements)

1~3 , 4 9 , 6~8 가

5 10 Y-BOCS

5 10 가

Kim²⁵⁾ Moritz¹⁴⁾

Y-BOCS 가

요 약

Goodman¹⁸⁾ 가 연구목적 : 가

가 가 Yale-Brown Obsessive-Compulsive Scale(Y-BOCS)

가 가

Y-BOCS 가 Y-BOCS

가 가 Y-BOCS checklist

가 가 Y-BOCS 가 Y-BOCS

가 Y-BOCS

Y-BOCS checklist

Y-BOCS Y-BOCS checklist

klist 가 가

가

Y-BOCS checklist

결과 : Y-BOCS checklist

4 . 4 / ,

62.77% . Y-BOCS

3 . 3

75.29%

결 론 : Y-BOCS checklist 4

Y-BOCS 3

중심 단어 : . Y-BOCS .

참고문헌

- 1) Berrios GE. *Obsessive-compulsive disorder: Its conceptual history in France during the 19th century*. *Compr Psychiatry* 1989;30:283-295.
- 2) Rasmussen SA, Eisen JL. *Clinical and epidemiological findings of significance to neuropharmacological trials*. *Psychopharmacol Bull* 1988;24:466-470.
- 3) Summerfeldt LJ, Richter MA, Antony MM, Swinson RP. *Symptom structure in obsessive-compulsive disorder: a confirmatory factor-analytic study*. *Behav Res Ther* 1999;37:297-311.
- 4) Lensi P, Cassano GB, Correddu G, Ravagli S. *Obsessive-compulsive disorder: familial-developmental history, symptomatology, comorbidity and course with special reference to gender-related differences*. *Br J Psychiatry* 1996;169:101-107.
- 5) Zohar AH, Pauls DL, Ratzoni G, Apter A, Dycian A, Binder M, et al. *Obsessive-compulsive disorder with and without tics in an epidemiological sample of adolescents*. *Am J Psychiatry* 1997;154:274-276.
- 6) Rasmussen SA, Eisen JL. *The epidemiology and clinical features of obsessive-compulsive disorder*. *Psychiatr Clin North Am* 1992;15:742-758.
- 7) Erzegovesi S, Cavallini MC, Cavedini P, Diaferia G, Locatelli M, Bellodi L. *Clinical predictors of drug response in obsessive-compulsive disorder*. *J Clin Psychopharmacol* 2001;21:488-492.
- 8) Mataix-Cols D, Rauch SL, Manzo PA, Jenike MA, Baer L. *Use of factor-analyzed symptom dimensions to predict outcome with serotonin reuptake inhibitors and placebo in the treatment of obsessive-compulsive disorder*. *Am J Psychiatry* 1999;156:1409-1416.
- 9) Cavallini MC, Di Bella D, Siliprandi F, Malchiodi F, Bellodi L. *Exploratory factor analysis of obsessive-compulsive patients and association with 5-HTTLPR polymorphism*. *Am J Med Genet* 2002;114:347-353.
- 10) Baer L. *Factor analysis of symptom subtypes of obsessive compulsive disorder and their relation to personality and tic disorders*. *J Clin Psychiatry* 1994;55 Suppl:18-23.
- 11) Feinstein SB, Fallon BA, Petkova E, Liebowitz MR. *Item-by-item factor analysis of the Yale-Brown Obsessive Compulsive Scale Symptom Checklist*. *J Neuropsychiatry Clin Neurosci* 2003;15:187-193.
- 12) Leckman JF, Grice DE, Boardman J, Zhang H, Vitale A, Bondi C, et al. *Symptoms of obsessive-compulsive disorder*. *Am J Psychiatry* 1997;154:911-917.
- 13) Goodman WK, Price LH, Rasmussen SA, Mazure C, Delgado P, Heninger GR, et al. *The Yale-Brown Obsessive Compulsive Scale. II. Validity*. *Arch Gen Psychiatry* 1989;46:1012-1016.
- 14) Moritz S, Meier B, Kloss M, Jacobsen D, Wein C, Fricke S, et al. *Dimensional structure of the Yale-Brown Obsessive-Compulsive Scale (Y-BOCS)*. *Psychiatry Res* 2002;109:193-199.
- 15) Moritz S, Birkner C, Kloss M, Jacobsen D, Fricke S, Bothem A, et al. *Impact of comorbid depressive symptoms on neuropsychological performance in obsessive-compulsive disorder*. *J Abnorm Psychol* 2001;110:653-657.
- 16) Moritz S, Fricke S, Wagner M, Hand I. *Further evidence for delayed alternation deficits in obsessive-compulsive disorder*. *J Nerv Ment Dis* 2001;189:562-564.
- 17) Spitzer RL, Williams JB, Gibbon M, First MB. *The Structured Clinical Interview for DSM-III-R (SCID). I: History, rationale, and description*. *Arch Gen Psychiatry* 1992;49:624-629.
- 18) Goodman WK, Price LH, Rasmussen SA, Mazure C, Fleischmann RL, Hill CL, et al. *The Yale-Brown Obsessive Compulsive Scale. I. Development, use, and reliability*. *Arch Gen Psychiatry* 1989;46:1006-1011.
- 19) Kaiser HF. *An index of factorial simplicity*. *Psychometrika* 1974;39:31-36.
- 20) Pitman RK. *Pierre Janet on obsessive-compulsive disorder (1903). Review and commentary*. *Arch Gen Psychiatry* 1987;44:226-232.
- 21) Mataix-Cols D, Rauch SL, Baer L, Eisen JL, Shera DM, Goodman WK, et al. *Symptom stability in adult obsessive-compulsive disorder: data from a naturalistic two-year follow-up study*. *Am J Psychiatry* 2002;159:263-268.
- 22) Fals-Stewart W. *A dimensional analysis of the Yale-Brown Obsessive Compulsive Scale*. *Psychol Assess* 1992;70:239-240.
- 23) McKay D, Danyko S, Neziroglu F, Yaryura-Tobias JA. *Factor structure of the Yale-Brown Obsessive-Compulsive Scale: a two dimensional measure*. *Behav Res Ther* 1995;33:865-869.
- 24) Amir N, Foa EB, Coles ME. *Factor structure of the Yale-Brown Obsessive-Compulsive Scale*. *Psychol Assess* 1997;9:312-316.
- 25) Kim SW, Dysken MW, Pheley AM, Hoover KM. *The Yale-Brown Obsessive-Compulsive Scale: measures of internal consistency*. *Psychiatry Res* 1994;51:203-211.