



Role of Chest Computed Tomography in Children with Pneumonia Associated with Coronavirus Disease 2019

Mi-Jung Lee, MD, PhD¹, Hyun Woo Goo, MD, PhD²

¹Department of Radiology and Research Institute of Radiological Science, Severance Children's Hospital, Yonsei University College of Medicine, Seoul, Korea; ²Department of Radiology and Research Institute of Radiology, University of Ulsan College of Medicine, Asan Medical Center, Seoul, Korea

Novel coronavirus disease 2019 (COVID-19), which began in Wuhan, Hubei Province, China, in December 2019, is highly contagious. The World Health Organization declared the disease a pandemic on March 11, 2020. Although the rate of childhood infections is relatively low (up to 2%) (1, 2), the number of confirmed pediatric cases is increasing worldwide, and most cases have resulted from transmission via family members. Special attention should be paid for school-age pediatric patients without symptoms or with mild symptoms, as they may act as a potential super-spreader.

In relation to the global trend of COVID-19 spread, many studies have investigated the imaging findings and their roles in adults (3, 4). However, reports on pediatric patients are relatively scarce. In this issue of the *Korean Journal of Radiology*, Lan et al. (5) reported early computed tomography (CT) findings of four asymptomatic pediatric patients (age: 7–13 years). CT was unremarkable for one of the patients but showed small peribronchial nodular ground-glass opacity (GGO) and/or consolidation in the dependent peripheral portions of the unilateral or bilateral lungs of other patients. Some of these early lesions are

inconspicuous, and differentiating them from dependent lung opacities may be difficult in young children. In addition, these small lesions may be blurred by motion artifacts that are often seen on pediatric chest CT. Therefore, we should interpret such early lesions carefully and perform chest CT with optimized scan techniques.

The typical CT findings of COVID-19 pneumonia in adults include bilateral GGO and consolidation (6), and chest CT shows a high sensitivity of 97% (4). However, a recent report by Hosseiny et al. (7) demonstrated that the imaging features of COVID-19 are variable and nonspecific and show significant overlaps with those of severe acute respiratory syndrome (SARS) and Middle East respiratory syndrome. As in children with COVID-19 pneumonia (8, 9), the CT findings of children with SARS are also nonspecific (10). Because the CT findings of coronavirus pneumonia are often nonspecific and overlap with other types of viral pneumonia, the differential diagnosis obtained using CT findings could be challenging, particularly in the presence of coinfection, as is common in children (8).

In pediatric patients, disease detection is more important than the differentiation of pneumonia. As emphasized by Lan et al. (5), there have been cases of laboratory confirmed but asymptomatic pediatric patients with chest CT lesions (11–13). With human-to-human transmission among close contacts and an incubation period of 2 weeks (average: 5 days) (11, 14), diagnosing these asymptomatic pediatric patients is of great significance for early control of infection spread via asymptomatic carriers. Chest CT is crucial for the diagnosis of COVID-19 pneumonia in pediatric patients since chest radiographs are frequently unremarkable (15). To define the role of chest CT in pediatric COVID-19 pneumonia, additional efforts are warranted with the aim of

Received: March 17, 2020 **Revised:** March 17, 2020

Accepted: April 20, 2020

Corresponding author: Mi-Jung Lee, MD, PhD, Department of Radiology and Research Institute of Radiological Science, Severance Children's Hospital, Yonsei University College of Medicine, 50-1 Yonsei-ro, Seodaemun-gu, Seoul 03722, Korea.

• Tel: (822) 2228-7400 • Fax: (822) 2227-8337

• E-mail: mjl1213@yuhs.ac

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<https://creativecommons.org/licenses/by-nc/4.0>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

obtaining high-quality CT scans, avoiding false-positive and false-negative lesions, describing more detailed imaging features, including lobar distribution of the lesions, and performing qualitative and quantitative assessments of the disease extent.

Conflicts of Interest

The authors have no potential conflicts of interest to disclose.

ORCID iDs

Mi-Jung Lee

<https://orcid.org/0000-0003-3244-9171>

Hyun Woo Goo

<https://orcid.org/0000-0001-6861-5958>

REFERENCES

1. Wu Z, McGoogan JM. Characteristics of and important lessons from the coronavirus disease 2019 (COVID-19) outbreak in China: summary of a report of 72314 cases from the Chinese Center for Disease Control and Prevention. *JAMA* 2020;323:1239-1242
2. Shen K, Yang Y, Wang T, Zhao D, Jiang Y, Jin R, et al.; China National Clinical Research Center for Respiratory Diseases; National Center for Children's Health, Beijing, China; Group of Respirology, Chinese Pediatric Society, Chinese Medical Association; Chinese Medical Doctor Association Committee on Respirology Pediatrics; China Medicine Education Association Committee on Pediatrics; Chinese Research Hospital Association Committee on Pediatrics; Chinese Non-government Medical Institutions Association Committee on Pediatrics; China Association of Traditional Chinese Medicine, Committee on Children's Health and Medicine Research; China News of Drug Information Association, Committee on Children's Safety Medication; Global Pediatric Pulmonology Alliance. Diagnosis, treatment, and prevention of 2019 novel coronavirus infection in children: experts' consensus statement. *World J Pediatr* 2020 Feb 7 [Epub]. <https://doi.org/10.1007/s12519-020-00343-7>
3. Shi H, Han X, Jiang N, Cao Y, Alwalid O, Gu J, et al. Radiological findings from 81 patients with COVID-19 pneumonia in Wuhan, China: a descriptive study. *Lancet Infect Dis* 2020;20:425-434
4. Ai T, Yang Z, Hou H, Zhan C, Chen C, Lv W, et al. Correlation of chest CT and RT-PCR testing in coronavirus disease 2019 (COVID-19) in China: a report of 1014 cases. *Radiology* 2020 Feb 26 [Epub]. <https://doi.org/10.1148/radiol.2020200642>
5. Lan L, Xu D, Xia C, Wang S, Yu M, Xu H. Early CT findings of coronavirus disease 2019 (COVID-19) in asymptomatic children: a single-center experience. *Korean J Radiol* 2020 Apr 22 [Epub]. <https://doi.org/10.3348/kjr.2020.0231>
6. Chung M, Bernheim A, Mei X, Zhang N, Huang M, Zeng X, et al. CT imaging features of 2019 novel coronavirus (2019-nCoV). *Radiology* 2020;295:202-207
7. Hosseiny M, Kooraki S, Gholamrezanezhad A, Reddy S, Myers L. Radiology perspective of coronavirus disease 2019 (COVID-19): lessons from severe acute respiratory syndrome and Middle East respiratory syndrome. *AJR Am J Roentgenol* 2020;214:1078-1082
8. Xia W, Shao J, Guo Y, Peng X, Li Z, Hu D. Clinical and CT features in pediatric patients with COVID-19 infection: Different points from adults. *Pediatr Pulmonol* 2020;55:1169-1174
9. Li W, Cui H, Li K, Fang Y, Li S. Chest computed tomography in children with COVID-19 respiratory infection. *Pediatr Radiol* 2020 Mar 11 [Epub]. <https://doi.org/10.1007/s00247-020-04656-7>
10. Babyn PS, Chu WC, Tsou IY, Wansaicheong GK, Allen U, Bitnun A, et al. Severe acute respiratory syndrome (SARS): chest radiographic features in children. *Pediatr Radiol* 2004;34:47-58
11. Bai Y, Yao L, Wei T, Tian F, Jin DY, Chen L, et al. Presumed asymptomatic carrier transmission of COVID-19. *JAMA* 2020;323:1406-1407
12. Chan JF, Yuan S, Kok KH, To KK, Chu H, Yang J, et al. A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster. *Lancet* 2020;395:514-523
13. Feng K, Yun YX, Wang XF, Yang GD, Zheng YJ, Lin CM, et al. [Analysis of CT features of 15 children with 2019 novel coronavirus infection]. *Zhonghua Er Ke Za Zhi* 2020;58:275-278
14. Li Q, Guan X, Wu P, Wang X, Zhou L, Tong Y, et al. Early transmission dynamics in Wuhan, China, of novel coronavirus-infected pneumonia. *N Engl J Med* 2020;382:1199-1207
15. Yoon SH, Lee KH, Kim JY, Lee YK, Ko H, Kim KH, et al. Chest radiographic and CT findings of the 2019 novel coronavirus disease (COVID-19): analysis of nine patients treated in Korea. *Korean J Radiol* 2020;21:494-500